

IN THE CLAIMS

Please amend the claims as indicated below:

1. (Cancelled)

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Cancelled)

6. (Cancelled)

7. (Cancelled)

8. (Cancelled)

9. (Cancelled)

10. (Cancelled)

11. (Cancelled)

12. (Cancelled)

13. (Cancelled)

14. (Cancelled)

15. (Cancelled)

16. (Cancelled)

17. (Previously Presented) The method of claim 27 wherein said natural tissue comprises a biological tissue or a matrix derived from a biological tissue.

18. (Previously Presented) The method of claim 27 wherein said natural tissue comprises pericardium tissue.

19. (Previously Presented) The method of claim 27 wherein said natural tissue comprises small intestine submucosa.

20. (Cancelled)

21. (Cancelled)

22. (Cancelled)

23. (Cancelled)

24. (Cancelled)

25. (Cancelled)

26. (Cancelled).

27. (Previously Presented) A method of augmenting the nucleus of an intervertebral disc, said method comprising the steps of:

(a) implanting in the intervertebral disc an intervertebral disc device comprising a length of natural tissue sized for introduction into an intervertebral disc nucleus space and having a first end and a second end, wherein said length of natural tissue has a first, straightened configuration and a second, folded configuration having a multiplicity of pleated folds wherein said device additionally comprises a drawstring effective for folding said length of natural tissue to its second, folded configuration after implantation of the tissue in a disc nucleus space, said drawstring being secured to the length of natural tissue at or near the first end thereof, said drawstring passing

through the tissue from one side thereof to another at a multiplicity of sites at predetermined intervals along the length of the tissue, exiting the tissue at or near the second end thereof and extending beyond said second end to terminate in an end portion for pulling the drawstring;

(b) implanting at least a portion of said length of natural tissue starting with its first end into the disc nucleus space;

(c) pulling the drawstring while holding the second end of the length of natural tissue stationary to cause the folding of the implanted tissue within the disc nucleus space; and,

(d) repeating, if necessary, steps (b) and (c) until the full length of implanted natural tissue has acquired its second, folded configuration within the disc nucleus space.

28. (Cancelled)

29. (Cancelled)

30. (Cancelled)

31. (Cancelled)

32. (Cancelled)

33. (Cancelled)

34. (Cancelled)

35. (Cancelled)

36. (Cancelled)

- 37. (Cancelled)
- 38. (Cancelled)
- 39. (Cancelled)
- 40. (Cancelled)
- 41. (Cancelled)
- 42. (Cancelled)
- 43. (Cancelled)
- 44. (Cancelled)
- 45. (Previously Presented) The method of claim 27 wherein said drawstring passes though the length of natural tissue at at least three sites.
- 46. (Previously Presented) The method of claim 27 wherein said drawstring passes through the length of natural tissue at at least five sites.
- 47. (Previously Presented) the method of claim 27 wherein said drawstring passes through the length of natural tissue at at least 10 sites.
- 48. (Cancelled)
- 49. (Previously Presented) The method of claim 27 wherein the natural tissue is of braided construction.
- 50. (Previously Presented) The method of claim 27 wherein step (b) is carried out with the aid of a cannula.
- 51. (Cancelled)

- 52. (Cancelled)
- 53. (Cancelled)
- 54. (Cancelled)
- 55. (Cancelled)
- 56. (Cancelled)
- 57. (Cancelled)
- 58. (Cancelled)